

**Australia Office**

ADWebKey  
PO BOX 2093, Malaga,  
WA 6944  
Telephone: (08) 9206 3987  
Email: amace@abledocs.co

ABN: 76 151 900 195

**Kuwait Office**

16 Fahad Al Salem Street  
Panasonic Tower, Kuwait City  
4th Floor, Office #9  
Telephone: +965 222 40141/2  
Email: admin@gcc.webkeyit.com

**ADWebKey**

## Statement of Accessibility Conformance

**Client:** Moodle

**Date Accreditation issued:** May 9, 2023

### Digital Accessibility Conformance Evaluation

A technical evaluation of 13 screens was conducted. The pages selected constitute an accessibility audit of the Moodle mobile application. These pages were selected by AD Web Key and agreed on by the client as representative of the overall accessibility and functionality of the application.

The evaluation was completed in accordance with the WCAG Evaluation Methodology (WCAG-EM) which can be viewed at <http://www.w3.org/TR/WCAG-EM/>.

The pages were audited manually and cross-checked using a team of website evaluators to ensure that the results and comments presented are valid and comprehensive.

### Accessibility support baseline:

Website/Application Tested: Moodle Mobile Application

Date Tested: 31 Mar - 9 May 2023

Scope of test: 13 screens selected as a representation of the website in accordance with the W3C WCAG Evaluation Methodology (WCAG-EM)

Guidelines title, version and URI: Web Content Accessibility Guidelines 2.1 at <https://www.w3.org/TR/WCAG21/>

Conformance Level satisfied: WCAG 2.1 to Level AA

Technologies relied on: Xcode for Apple, Java for Android

Number of pages evaluated: 13

Platform: Samsung S10, Samsung S20, Samsung S21, Samsung Galaxy J7 Prime, Google Pixel 3XL, iPhone 6, iPhone 7, iPhone 7+, iPhone 8

Valid from: May 9, 2023



## Remaining Issues and Exceptions

Whilst Moodle has gone to great lengths to make all its online content AA accessible, there are some aspects on this application, which Moodle do not currently have the ability to bring into conformance with WCAG 2.1 to Level AA. These include:

- iOS: Text resize issues. There may be certain elements of a page that are not resized correctly while others are.
- Tab 3 times for certain elements in some Samsung devices

## Certificate of AD Web Key Accreditation

Certification Number: MOO\_APP2023

This website has been evaluated through a rigid manual process of technical audit of all of the sample pages against WCAG 2.1 to Level AAA and meets the requirements of WCAG 2.1 to Level AA

## Other Standards

WCAG 2.0 also forms the content of the ISO Standard ISO: **IEC 40500:2012** which can be located at <https://www.iso.org/standard/58625.html>

The content of WCAG forms the standard for digital accessibility compliance in **EN 301549 and AS EN 301549** “Accessibility requirements suitable for public procurement of ICT products and services in Europe” which has been adopted in Australia as AS EN 302549. This standard includes:

- web content
- electronic documents
- non-web software, such as native mobile apps
- Information can be found at <http://www.w3.org/WAI/news/2018-09-13/WCAG-21-EN301549/> and <http://mandate376.standards.eu/standard>.